


LL-500 Accessories



Product Overview

Wolf's extensive range of positioning, mounting and protection accessories, encompassing fixing kits, films and cable management, for the LinkEx™ Portable Fluorescent Leadlamp (LL-500) give workers more secure temporary installation solutions for lighting in hazardous area working environments.

Fixing Kits

The fixing kits give flexible and sturdy mounting and positioning options for temporary applications - putting the leadlamp exactly where it is needed.

- **Magnet Kit** - With magnet pads grip to ferrous metal surfaces.
- **Universal Kit** - With eye bolt and carabiner suspend horizontally or vertically from existing infrastructure.
- **Tripod Kit** - With fixing bar attach horizontally or vertically to tripod stand.
- **Hanging Straps** - With straps hang from existing infrastructure.

Tripods and Stands

For standalone leadlamp positioning, Wolf's **4-Leg Stand** gives optimum stability, allowing the cable entry and linking sockets to be ideally placed for linking in series and keep the lamp in a raised position away from any residue. It is an ideal solution for the 4 x 36W lamp to provide 360° output in the centre of the working site.

In addition, the tripods give a stable platform allowing the leadlamp to be attached with the **Tripod Kit** and used at a variety of heights and positions to deliver vertical or horizontal forward facing light, in the horizontal position the light can be directed upwards, illuminating the work area from the underside. The range of **Tripod Stands** available are lightweight, easily transportable, made from steel and will extend a lamp to a height of up to 3.2 metres to maximise light area coverage for workers.

Films / Cable Management

Not only is the positioning and mounting of leadlamps key to worker efficiency but also the protection of the tube from damage to ensure its longevity, in optimal condition, for repeat usage. Wolf leadlamps are used regularly in blasting, jetting, coating and painting applications and are protected from residue build-up by the use of a **Protective Film**, easily replaced between uses to ensure the product is delivering maximum light output without obstructions.

Finally, to keep the working area free from potential trip hazards, cable can be managed using a **Magnet Cable Tidy** to elevate it from the ground along a ferrous metal surface.

If you require something different to suit a particular hazardous area need, whether a variation to our existing range or a totally new accessory for a unique application and environment, please contact us to discuss the development of a practical and safe accessory solution.

Technical Specification

Product Reference	Product Description	2x36W	4x36W / 2x36W 360° / 24V Emergency 110/230V	2x18W
Fixing Kits				
LL-651	Magnet Fixing Kit	Y	-	-
LL-652	Magnet Fixing Kit	-	Y	-
LL-653	Magnet Fixing Kit	-	-	Y
LL-690	Tripod Fixing Kit	Y	-	-
LL-695	Tripod Fixing Kit	-	Y	-
LL-691	Universal Fixing Kit	Y	-	-
LL-696	Universal Fixing Kit	-	Y	-
LL-654	Hanging Straps (2 per pack)	Y	Y	Y
Stand				
LL-685	4-Leg Stand	Y	Y	Y
Protection				
LL-640/3	Protective Film	Y	-	-
LL-645/3	Protective Film	-	Y	-
Cable Management				
LX-692	Magnet Cable Tidy (1 per pack)			

- All information has been gathered under laboratory conditions, the user must regard the values given as approximate.
- Changes may be made to the above specification without notification, details are available on request.

Version: SL067 DF411 Issue 1



Wolf Safety Lamp Company, Saxon Road Works, Sheffield, S8 0YA, UK

- T: +44 (0) 114 255 1051 ● F: +44 (0) 114 255 7988
- E: info@wolfsafety.com ● www.wolfsafety.com

