

### INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: IECEx BAS 06.0023X Issue No: 7 Certificate history:

 Issue No. 7 (2019-02-28)

 Status:
 Current
 Issue No. 6 (2017-05-02)

Date of Issue: 2019-02-28 Issue No. 4 (2010-10-25)
Issue No. 3 (2010-06-07)

Applicant: Wolf Safety Lamp Company Ltd Issue No. 2 (2010-03-22)

Saxon Road Works Issue No. 1 (2007-10-11)

Equipment: Wolf Mini / Micro Torch Range

Type of Protection: Intrinsic Safety & Inherently Safe Optical Radiation

United Kingdom

IECEx BAS 06.0023X
For code, see schedule

Approved for issue on behalf of the IECEx R S Sinclair D BREARLEY Certification

Certification Body: Manager

Position: Technical Manager

Signature:

Date:

1. This certificate and schedule may only be reproduced in full.

2. This certificate is not transferable and remains the property of the issuing body.

3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

(for printed version)

Optional accessory:

Marking:

SGS Baseefa Limited Rockhead Business Park Staden Lane Buxton, Derbyshire, SK17 9RZ United Kingdom





Certificate No:

IECEx BAS 06.0023X

Issue No: 7

Date of Issue:

2019-02-28

Page 2 of 4

Manufacturer:

Wolf Safety Lamp Company Ltd

Saxon Road Works

Sheffield S8 0YA

United Kingdom

### Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

### STANDARDS:

The apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0: 2011

Explosive atmospheres - Part 0: General requirements

Edition:6.0

IEC 60079-11: 2011

Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

Edition:6.0

IEC 60079-28: 2015

Explosive atmospheres - Part 28: Protection of equipment and transmission systems using optical radiation

Edition:2

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

### TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

### Test Report:

GB/BAS/ExTR06.0040/00 GB/BAS/ExTR10.0055/00 GB/BAS/ExTR07.0073/00 GB/BAS/ExTR10.0114/00

GB/BAS/ExTR17.0052/00

GB/BAS/ExTR07.0110/00 GB/BAS/ExTR10.0235/00 GB/BAS/ExTR17.0052/01

GB/BAS/ExTR15.0051/00

Quality Assessment Report:

GB/BAS/QAR06.0017/08



Certificate No: IECEx BAS 06.0023X Issue No: 7

Date of Issue: 2019-02-28 Page 3 of 4

Schedule

### **EQUIPMENT:**

Equipment and systems covered by this certificate are as follows:

The Wolf Mini / Micro Torch Range comprises 4 models using various primary batteries with either a xenon bulb or light emiting diode(s) housed in a straight thermoplastic body which is moulded in static dissipative plastic. The lens end cap retains a transparent plastic lens. The straight body arrangement incorporates a thermoplastic pocket clip and an on/off switch.

The enclosure is sealed dust tight and provides an ingress protection level of IP67.

There are four versions which are coded as follows: the 2nd numeral X may vary to denote sub-versions:

### M-1X:

Ex ia op is I Ma / IIC T5 Ga (- $40^{\circ}$ C  $\leq$  Ta  $\leq$  + $50^{\circ}$ C) Ex ia op is IIIB T95°C Da IP67 4 x LR44 cells Single 5mm LED

Permitted cells: Ansmann, Duracell, Energizer, GP, Hi Watt, Maxell, Renata, Varta

### M-2X:

Ex ib I Mb / IIC T4 Gb (- $40^{\circ}$ C  $\leq$  Ta  $\leq$  + $40^{\circ}$ C) 2 x LR03 (AAA) cells Xenon bulb

Permitted cells: Duracell Procell/Plus/Ultra M3/Industrial, Energizer Industrial/Ultra+/Ultimate, GP Alkaline/Super Alkaline, Panasonic Powermax/Ultra, Philips Powerlife, Varta High Energy

### M-4X

Ex ia op is I Ma / IIC T4 Ga ( $-40^{\circ}$ C  $\leq$  Ta  $\leq$  +50°C) Ex ia op is IIIB T125°C Da IP67 3 x LR1 (N) cells 3 x 5mm LED

Permitted cells: Duracell, Energizer, GP, Maxell, Panasonic, Varta, Philips Powerlife

### M-6X:

Ex ia op is I Ma / IIC T4 Ga (- $40^{\circ}$ C  $\leq$  Ta  $\leq$  + $50^{\circ}$ C) Ex ia op is IIIB T130°C Da IP67 3 x LR1 (N) cells 1 watt LED

Permitted cells: Duracell, Energizer, GP, Maxell, Panasonic, Varta, Philips Powerlife

### SPECIFIC CONDITIONS OF USE: YES as shown below:

- 1. Dust layers must be prevented from building up on the equipment.
- 2. The equipment must not be left energised and unattended in Zone 20 areas.



Certificate No:

IECEx BAS 06.0023X

Issue No: 7

Date of Issue:

2019-02-28

Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

Variation 7.1

To permit corrections to the previous test report and associated drawings.

EXTR: GB/BAS/EXTR17.0052/01 File Reference: 18/0826